According to UK REACH Regulation: SI 2019/758



SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name:	Armourcoat Perlata
Chemical description:	Water-based polyurethane/acrylic paint
REACH Registrations	The ingredients in this composition have been
-	registered by the individual suppliers
1.2 Relevant identified uses of	the substance or mixture and uses advised against
Identified uses:	Water-based decorative wall coating
Uses advised against	All uses not specified in this section or Section 7.3
1.3 Details of the supplier of the	ie safety data sheet
Supplier :	Muralplast
	11 Invicta Business Park
	London Road
	Wrotham
	Kent
	TN15 7RJ
Telephone	+44 (0)1732 884022 (Office hours only)
Email	LUCAS@LUCASUK.com
1.4 Emergency telephone num	ber
Emergency telephone:	0344 8920555 (National Poisons Information
	Service) * Healthcare professionals only
	111 (NHS 111 – UK only)
TION 2. HAZARDS IDENTIF	FICATION

2.1 Classification of the substance or mixture

Classification according to GB Classification, Labelling and Packaging Regulations Not classified

2.2 Label elements

Labelling according to GB Classification, Labelling and Packaging Regulations

Product identifier	
Pictogram:	Not applicable
Signal word:	Not applicable
Hazard statement(s):	Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.





	EUH210: Safety data sheet available on request
Precautionary statement(s):	P102: Keep out of the reach of children P301+330+331: IF SWALLOWED: rinse mouth. Do not induce vomiting P302+350: IF ON SKIN: Gently wash with plenty of soap and water P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing P314: Get medical advice/attention if you feel unwell P501: Dispose of contents to licensed waste contractor

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance : Not applicable

Mixture : Hazardous ingredients:

Product does not contain any hazardous ingredients at concentrations above the generic cutoff limits.

Chemical name	Identifier	Concentration [%]	Classification Regulation (EC) No. 1272/2008 [CLP]
Mica	EC 310-127-6	10 -25	Not classified
(Workplace exposure limit)	CAS 12001-26-2		
Propylene glycol (Workplace exposure limit)	EC 200-338-0 CAS 57-55-6 Reg: 01-2119456809-23-xxxx	5-10	Not classified
Reaction mass of: 5-chloro-	EC: 611-341-5	< 0.1	H301-H310
2-methyl-4-isothiazolin-3-	CAS: 55965-84-9		H314-H317
one and 2-methyl-2H-	Reg: 01-2120764691-48-xxxx		H318
isothiazol-3-one (3:1)			H400-H410
			(M=100)

According to UK REACH Regulation: SI 2019/758



SECTION 4. FIRST AID MEASURES

Description of first aid measures

If inhaled:	Remove to fresh air, keep patient warm and at rest.
	If breathing is irregular or stopped administer
	artificial respiration. Give nothing by mouth. If
	unconscious place in the recovery position. Seek
	medical advice if symptoms develop.
In case of skin contact:	Remove contaminated clothing, wash skin
	thoroughly with water or soap and water. Seek
	medical advice if irritation develops.
In case of eye contact:	If substance has got into the eyes, immediately
	wash out with plenty of water for at least 15
	minutes. Protect non-irritated eye. Remove contact
	lenses if present and easy to do so. Continue
	rinsing. Seek medical advice if irritation persists.
If swallowed	Rinse mouth with water. Do not induce vomiting.
	Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No known significant effects or critical hazards with the correct use of the product.

Skin contact	There may be mild irritation at the site of contact
Eye contact	There may be irritation and redness
Ingestion	There may be irritation of the throat
Inhalation	No symptoms

4.3 Indication of any immediate medical attention and special treatment needed

Stomach ache, nausea, eye irritation that persists, skin irritation

Obtain medical attention if a large quantity has been swallowed, or in the event of any acute or delayed symptoms. Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable	Dry chemical, water spray, foam, carbon dioxide
extinguishing media:	As appropriate for surrounding materials
Unsuitable extinguishing media	Water jet – may spread fire
5.2 Special hazards arising from the substance or mixture Thermal decomposition will evolve irritant vapours and toxic vapours – Nitrogen oxides.	

According to UK REACH Regulation: SI 2019/758



5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Put on protective equipment. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Prevent further release by, for example, turning container so leak is upward, if safe to do so.

6.2 Environmental precautions

Minimise contamination of drains, surface- and ground waters. Contain the spillage with bunding.

6.3 Methods and materials for containment and cleaning up

Soak up with inert non-combustible absorbent material.

Transfer product to suitably labelled container for disposal at an approved site. Residues and small spillages may be washed away with water.

6.4 Reference to other sections

See Sections: 8 (EXPOSURE CONCERNS/PERSONAL PROTECTION) and 13 (DISPOSAL CONSIDERATIONS)

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling	
Precautions:	Ensure good ventilation
Fire and explosion protection	No specific protective measures are required
measures:	
7.2 Conditions for safe storage, inclu	uding any incompatibilities
Requirements for storage areas and	Store in a cool, well-ventilated place.
containers:	Store in dry conditions between 5 degC - 25 degC
	Protect from frost. Protect from sunlight and
	sources of direct heat. Keep container sealed wher
	not in use.
Shelf life:	18 months
Incompatible products:	None known
7.3 Specific end use(s):	
Apart from the uses mentioned in section	on 1.2 no other specific uses are stipulated.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

SAFETY DATA SHEET According to UK REACH Regulation: SI 2019/758



8.1 Control parameters

WEL: Workplace Exposure Limit (UK HSE EH40)

Ingredient	LTEL (8 hours)	STEL (15 minutes)
Mica	0.8 mg/m3 (Respirable dust)	-
	10 mg/m3 (Total inhalable dust)	
Propane-1-2-diol	10 mg/m3 (Particulates)	-
	474 mg/m3 (Total vapour and	
	particulates)	

Biological Exposure Limits: No data available DNEL: No data available PNEC: No data available Information on monitoring procedures: Recommended monitoring procedures: Not applicable 8.2 Exposure controls

Individual protection measures, such as personal protective equipment:		
Engineering controls	No specific requirements. Use outdoors or with good	
	ventilation.	
General safety and hygiene measures:	Observe the general principles of safety and hygiene.	
	Do not eat, drink, or smoke while working.	
	Wash your hands thoroughly before breaks and after	
	finishing work. Wash contaminated clothing before	
	reusing. Ensure that eyewash stations are close to the	
	workstation location.	
Respiratory protection:	Not normally required if ventilation is adequate. Where	
	air filtering respirators are unsuitable (risk of oxygen	
	deficiency, confined space) use appropriate positive	
	pressure breathing apparatus.	
Hand protection:	Impervious plastic or rubber gloves – Nitrile, butyl,	
	PVC, Viton. Breakthrough time 480 minutes	
Eye/face protection:	If exposure to liquid splashes or mists is possible, wear	
	safety glasses with side shields or goggles (EN166).	
Body/skin protection:	Wear overalls and boots	
Control of environmental exposure:	Avoid release to the environment	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties		
(a)Appearance	Bronze, gold, silver liquid	

SAFETY DATA SHEET According to UK REACH Regulation: SI 2019/758



(b)Odour	Characteristic	
(c)Odour Threshold	Not determined	
(d)pH	8-9	
(e)Melting point/freezing point	Not applicable. Test not scientifically justified	
(f)Initial boiling point and boiling	Not available	
range		
(g)Flash point	Not applicable. Test not scientifically justified	
(h)Evaporation rate	Not applicable. Test not scientifically justified	
(i)Flammability (solid, gas)	Not applicable. Product is a liquid	
(j)Upper/lower flammability or	Not applicable. Test not scientifically justified	
explosive limits		
(k)Vapour pressure	Not applicable. Test not scientifically justified	
(I)Vapour density	Not applicable. Test not scientifically justified	
(m)Relative density	1.2	
(n) Water solubility at 20 degC	Miscible in water	
(o)Partition coefficient: n-	Not applicable. Test not scientifically justified	
octanol/water		
(p)Auto-ignition temperature	Not applicable. Test not scientifically justified	
(q(Decomposition temperature	Not applicable. Test not scientifically justified	
(r)Viscosity	Not available	
(s)Explosive properties	Product does not contain any structural groups that	
	possess explosive properties	
(t)Oxidizing properties	Product does not contain any structural groups that	
	possess oxidising properties	
9.2 Other safety characteristics:	Volatile Organic Content (VOC) 74.4 g/litre	

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity: Non-reactive under normal conditions of transport and storage. Does not undergo hazardous polymerization.

10.2 Chemical stability: The product is stable when used properly and stored.

10.3 Possibility of hazardous reactions: No hazardous reactions known

10.4 Conditions to avoid: Protect from sunlight and temperature above 30°C, and against freezing

10.5 Incompatible materials: None known

10.6 Hazardous decomposition products: Combustion may produce toxic and irritant vapours – Nitrogen oxides

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects (Mixture)

(Issue 9)

Page: 6/10

Date: 21 May 2021

According to UK REACH Regulation: SI 2019/758



Acute toxicity	
Ingestion	ATE > 2000 mg/kg
Inhalation	ATE > 20 mg/L
Skin contact	ATE > 5000 mg/kg
Skin corrosion/irritation	Based on available data, the classification criteria
	are not met
Serious eye damage/irritation	Based on available data, the classification criteria
	are not met
Sensitisation	May cause an allergic reaction
Carcinogenicity	Based on available data, the classification criteria
	are not met
Mutagenicity	Based on available data, the classification criteria
	are not met
Reproductive toxicity	Based on available data, the classification criteria
	are not met
Lactation	Based on available data, the classification criteria
	are not met
STOT (Specific Target Organ	Based on available data, the classification criteria
Toxicity) Single exposure	are not met
STOT (Specific Target Organ	Based on available data, the classification criteria
Toxicity) Repeated exposure	are not met
Aspiration toxicity	Based on available data, the classification criteria
	are not met

Symptoms/Routes of Exposure

There may be mild irritation at the site of contact
There may be irritation and redness
There may be irritation of the throat
No symptoms
No data available

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity Aquatic toxicity (Product) Fish No data available Daphnia magna. (24 hr) No data available Algae (72 hr) No data available 12.2 Persistence and degradability Biodegradable in water

(Issue 9)

Date: 21 May 2021

According to UK REACH Regulation: SI 2019/758



12.3 Bioaccumulative potential	
The product has no potential for bioaccumulation.	
12.4 Mobility in soil	
The product is predicted to have high mobility in soil.	
12.5 Results of PBT and vPvB assessment	
Not classified as PBT or vPvB.	
12.6 Other adverse offects: No data	

12.6 Other adverse effects: No data

SECTION 13. DISPOSAL CONSIDERATIONS

This material and its container must be disposed of in a safe way. Empty containers may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Consult an accredited waste disposal contractor or the local authority for advice.

European Waste Catalogue (EWC)

Waste Code	Waste Designation
08 01 12	Waste paint and varnish other than those
	mentioned in 08 01 11

SECTION 14. TRANSPORT INFORMATION

UN number	The product is not dangerous for road (ADR), rail (RID), sea
	(IMDG), and air (IATA) transport.
UN proper shipping name	Not applicable
Transport hazard class (es)	Not applicable
Packaging group	Not applicable
Environmental hazards	Not applicable
Special precautions for	Not applicable
users	
Transport in bulk according to Annex II of MARPOL and the IBC Code : Not applicable	
SECTION 15. REGULATORY INFORMATION	

Safety, health and environmental regulations specific for the substance or mixture:

SAFETY DATA SHEET According to UK REACH Regulation: SI 2019/758



15.1 Safety, health and	GB Classification, Labelling and Packaging Regulations
environmental regulations/legislation	(EC 1272/2008 as amended by The Chemicals (Health
specific for the substance or mixture	and Safety) and Genetically Modified Organisms
	(Contained Use) (Amendment etc) (EU Exit) Regulations
	2019 No. 720 Schedule 2)
	Paint, Varnishes and Vehicle Refinishing Products
	Regulations 2012: 1715 (Volatile Organic Content)
15.2 Chemical Safety Assessment	A chemical safety assessment was not carried out for
	this product

SECTION 16. OTHER INFORMATION

The following sections contain revisions or new statements: Sections #1 to #16

Abbreviations

International Regulation – Carriage of goods by road
Acute Toxicity Estimate
Chemical Abstracts Service
Derived No Effect Level
European Community Number
HSE EH40/2015 Workplace Exposure Limits
UK Health and Safety Executive
International Air Transport Association
International Maritime Dangerous Goods
International Maritime Organisation
Long Term Exposure Limit (8 hours)
International Convention Prevent Pollution from Ships
Predicted No-Effect Concentration
Persistent, Bioaccumulative and Toxic
International Agreement – Carriage of goods by rail
Short Term Exposure Limit (15 minutes)
Volatile Organic Content
very Persistent and very Bioaccumulative

Mixtures classification methods:

The product has been classified according to the generic concentration limits defined in the Classification, Labelling and Packaging Regulations and the ECHA guidance notes for the classification of mixtures.

Full text of H-Statements referred to under Section 2 and Section 3.

Section 2	Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-	
	isothiazol-3-one. May produce an allergic reaction.	
	EUH210: Safety data sheet available on request	
$(ccup 0\rangle$	Page: 0/10 Date: 21 May 2021	

According to UK REACH Regulation: SI 2019/758



Section 3	H301: Toxic if swallowed
	H310 : Fatal in contact with skin
	H314: Causes severe burns and eye damage
	H317: May cause an allergic skin reaction
	H318: Causes serious eye damage
	H400: Very toxic to aquatic life
	H410: Very toxic to aquatic life with long-lasting effects

References:

European Chemicals Agency UK and European Regulations and Directives Published chemical directories Suppliers' safety data sheets UK Health and Safety Executive

The information contained in this Safety Data Sheet has been based on sources and technical knowledge as well as applicable law at European and national level, and its accuracy cannot be fully guaranteed. This information cannot be regarded as a guarantee of product properties, as it is only a description of the requirements regarding safety issues. The methods and working conditions of the users of this product are beyond the reach of our knowledge and control, so the user is responsible for taking appropriate measures to comply with legal requirements regarding the handling, storage, use and disposal of chemical products. The information contained in this Safety Data Sheet applies only to the product that must not be used for purposes other than those specified therein.