According to UK REACH Regulation: SI 2019/758



SECTION 1. IDENTIFICATION

1.1 Product identifiers

| Product name: | Muralplast MSP Plus |
|---------------------------------------|---|
| Chemical description: | Water-based polyurethane/acrylic paint |
| REACH Registrations | The ingredients in this composition have been |
| | registered by the individual suppliers |
| 1.2 Relevant identified uses of the | substance or mixture and uses advised against |
| Identified uses: | Water-based wall coating |
| Uses advised against | All uses not specified in this section or Section 7.3 |
| 1.3 Details of the supplier of the sa | afety data sheet |
| Supplier : | Muralplast |
| | 11 Invicta Business Park |
| | London Road |
| | Wrotham |
| | Kent |
| | TN15 7RJ |
| Telephone | +44 (0)1732 884022 (Office hours only) |
| Email | LUCAS@LUCASUK.com |
| 1.4 Emergency telephone number | |
| Emergency telephone: | 0344 8920555 (National Poisons Information |
| | Service) * Healthcare professionals only |
| | 111 (NHS 111 – UK only) |

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to GB Classification, Labelling and Packaging Regulations

Not classified

2.2 Label elements

Labelling according to GB Classification, Labelling and Packaging Regulations

| Product identifier | Muralplast MSP Plus |
|-----------------------------|--|
| Pictogram: | Not applicable |
| Signal word: | Not applicable |
| Hazard statement(s): | Contains 1,2-benzisothiazol-3(2H)-one. May produce |
| | an allergic reaction |
| | EUH210: Safety data sheet available on request |
| Precautionary statement(s): | P102: Keep out of the reach of children |
| | P260: Do not breathe spray |

(Issue 9) Page: 1/10 Date: 22 May 2021

According to UK REACH Regulation: SI 2019/758



| P301+330+331: IF SWALLOWED: rinse mouth. Do not induce vomiting P302+350: IF ON SKIN: Gently wash with plenty of soap and water |
|---|
| P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if |
| present and easy to do so. Continue rinsing |
| P314: Get medical advice/attention if you feel unwell |
| P501: Dispose of contents to licensed waste contractor |

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance: Not applicable

Mixture: Hazardous ingredients:

Product does not contain any hazardous ingredients at concentrations above the generic cutoff limits.

| Chemical name | Identifier | Concentration [% w/w] | Classification Regulation (EC) No. 1272/2008 [CLP] |
|--|---|--------------------------|--|
| Titanium dioxide (Workplace exposure limit) | EC 236-675-5 CAS 13463-67-7 Reg: 01-2119489379-17-xxxx | < 40 | Not classified |
| 1,2-Benzisothiazolin-3-one | EC: 220-120-9 CAS: 2634-33-5 Reg: 01-2120761540-60-xxxx | < 0.1 | H302-H315 H317-H318 H400 |

SECTION 4. FIRST AID MEASURES

Description of first aid measures

(Issue 9) Page: 2/10 Date: 22 May 2021

According to UK REACH Regulation: SI 2019/758



| If inhaled: | Remove to fresh air, keep patient warm and at rest. |
|--------------------------|--|
| | If breathing is irregular or stopped administer |
| | artificial respiration. Give nothing by mouth. If |
| | unconscious place in the recovery position. Seek |
| | medical advice if symptoms develop. |
| In case of skin contact: | Remove contaminated clothing, wash skin |
| | thoroughly with soap and water or a proprietary skin |
| | cleanser. Do not use solvents or thinners. Seek |
| | medical advice if irritation develops. |
| In case of eye contact: | If substance has got into the eyes, immediately |
| | wash out with plenty of water for at least 15 |
| | minutes. Protect non-irritated eye. Remove contact |
| | lenses if present and easy to do so. Continue |
| | rinsing. Seek medical advice if irritation persists. |
| If swallowed | Rinse mouth with water. Do not induce vomiting. |
| | Seek medical advice. |

4.2 Most important symptoms and effects, both acute and delayed

No known significant effects or critical hazards with the correct use of the product.

| Skin contact | There may be mild irritation at the site of contact |
|--------------|---|
| Eye contact | There may be irritation and redness |
| Ingestion | There may be irritation of the throat |
| Inhalation | No symptoms |

4.3 Indication of any immediate medical attention and special treatment needed

Stomach ache, nausea, eye irritation that persists, skin irritation

Obtain medical attention if a large quantity has been swallowed, or in the event of any acute or delayed symptoms. Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

| 5.1 Extinguishing me | 5.1 Extinguishing media | | |
|---|---|--|--|
| Suitable | Dry chemical, water spray, foam, carbon dioxide | | |
| extinguishing media: | As appropriate for surrounding materials | | |
| Unsuitable | Water jet – may spread fire | | |
| extinguishing media | | | |
| 5.2 Special hazards | 5.2 Special hazards arising from the substance or mixture | | |
| In a fire or if heated, a pressure increase will occur and the container may burst. | | | |
| Thermal decomposition will evolve irritant vapours and toxic vapours – Metal oxides, Nitrogen | | | |
| oxides. | | | |
| 5.3 Advice for firefig | hters | | |

(Issue 9) Page: 3/10 Date: 22 May 2021

According to UK REACH Regulation: SI 2019/758



Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Cool containers exposed to fire with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Put on protective equipment. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Prevent further release by, for example, turning container so leak is upward, if safe to do so.

6.2 Environmental precautions

Prevent entry into drains, surface- and ground waters, basements or confined areas. Contain the spillage with bunding. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil).

6.3 Methods and materials for containment and cleaning up

Dilute small spills with water and mop up, or soak up with inert non-combustible absorbent material. Transfer product to suitably labelled container for disposal at an approved site. Residues and small spillages may be washed away with water.

6.4 Reference to other sections

See Sections: 8 (EXPOSURE CONCERNS/PERSONAL PROTECTION) and 13 (DISPOSAL CONSIDERATIONS)

SECTION 7. HANDLING AND STORAGE

| 7.1 Precautions for safe handling | | |
|---|--|--|
| Precautions: | Ensure good ventilation | |
| Fire and explosion protection | No specific protective measures are required | |
| measures: | | |
| 7.2 Conditions for safe storage, inclu | uding any incompatibilities | |
| Requirements for storage areas and | Store in a cool, well-ventilated place. | |
| containers: | Store in dry conditions between 5 degC - 25 degC. | |
| | Protect from frost. Protect from sunlight and | |
| | sources of direct heat. Keep container upright and | |
| | sealed when not in use. Do not store in unlabelled | |
| | containers. | |
| Shelf life: | 12 months | |
| Incompatible products: | Oxidising agents, strong alkalis, strong acids | |
| 7.3 Specific end use(s): | | |
| Apart from the uses mentioned in section 1.2 no other specific uses are stipulated. | | |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

According to UK REACH Regulation: SI 2019/758



8.1 Control parameters

WEL: Workplace Exposure Limit (UK HSE EH40)

| Ingredient | LTEL (8 hours) | STEL (15 minutes) |
|------------------|--|-------------------|
| Titanium dioxide | 4 mg/m3 (Respirable dust) 10 mg/m3 (Total inhalable dust) | - |

Biological Exposure Limits: No data available

DNEL: No data available **PNEC:** No data available

Information on monitoring procedures:

Recommended monitoring procedures: Not applicable

8.2 Exposure controls

| Individual protection measures, such as personal protective equipment: | | |
|--|--|--|
| Engineering controls | No specific requirements. Use outdoors or with good ventilation. | |
| General safety and hygiene measures: | Observe the general principles of safety and hygiene. Do not eat, drink, or smoke while working. Wash your hands thoroughly before breaks and after finishing work. Wash contaminated clothing before reusing. Ensure that eyewash stations are close to the workstation location. | |
| 8.3 Personal Protective Equipment | | |
| Respiratory protection: | Not normally required if ventilation is adequate. If air concentrations are high e.g. spraying, a particulate mask (FFP1) or respirator with Type A filter (Organic vapour) may be suitable (EN149). Where air filtering respirators are unsuitable (risk of oxygen deficiency, confined space) use appropriate positive pressure breathing apparatus. | |
| Hand protection: | Impervious plastic or rubber gloves – Nitrile, butyl, PVC, Viton. Breakthrough time 480 minutes | |
| Eye/face protection: | If exposure to liquid splashes or mists is possible, wear safety glasses with side shields or goggles (EN166). | |
| Body/skin protection: | Wear overalls and boots | |
| Control of environmental exposure: | Avoid release to the environment | |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

(Issue 9) Page: 5/10 Date: 22 May 2021

According to UK REACH Regulation: SI 2019/758



| (a)Appearance | Coloured liquid |
|--------------------------------------|---|
| (b)Odour | Characteristic |
| (c)Odour Threshold | Not determined |
| (d)pH | 7-10 |
| (e)Melting point/freezing point | Not applicable. Test not scientifically justified |
| (f)Initial boiling point and boiling | 38 degC |
| range | |
| (g)Flash point | Not applicable. Test not scientifically justified |
| (h)Evaporation rate | Not applicable. Test not scientifically justified |
| (i)Flammability (solid, gas) | Not applicable. Product is a liquid |
| (j)Upper/lower flammability or | Not applicable. Test not scientifically justified |
| explosive limits | |
| (k)Vapour pressure | Not applicable. Test not scientifically justified |
| (I)Vapour density | Not applicable. Test not scientifically justified |
| (m)Relative density | 1-1.5 |
| (n) Water solubility at 20 degC | Partially soluble in water |
| (o)Partition coefficient: n- | Not applicable. Test not scientifically justified |
| octanol/water | |
| (p)Auto-ignition temperature | Not applicable. Test not scientifically justified |
| (q(Decomposition temperature | Not applicable. Test not scientifically justified |
| (r)Viscosity | Not available |
| (s)Explosive properties | Product does not contain any structural groups that |
| | possess explosive properties |
| (t)Oxidizing properties | Product does not contain any structural groups that |
| | possess oxidising properties |
| 9.2 Other safety characteristics: | Volatile Organic Content (VOC) < 140 g/litre |

SECTION 10. STABILITY AND REACTIVITY

- **10.1 Reactivity:** Non-reactive under normal conditions of transport and storage. Does not undergo hazardous polymerization.
- **10.2 Chemical stability:** The product is stable when used properly and stored.
- 10.3 Possibility of hazardous reactions: No hazardous reactions known
- **10.4 Conditions to avoid:** Protect from sunlight and temperature above 30°C, and against freezing
- 10.5 Incompatible materials: Oxidising agents, Strong alkalis, Strong acids
- **10.6 Hazardous decomposition products:** Combustion may produce toxic and irritant vapours Nitrogen oxides

SECTION 11. TOXICOLOGICAL INFORMATION

(Issue 9) Page: 6/10 Date: 22 May 2021

According to UK REACH Regulation: SI 2019/758



11.1 Information on toxicological effects (Mixture)

| Acute toxicity | |
|-------------------------------|--|
| Ingestion | ATE > 2000 mg/kg |
| Inhalation | ATE > 20 mg/L |
| Skin contact | ATE > 5000 mg/kg |
| Skin corrosion/irritation | Based on available data, the classification criteria |
| | are not met |
| Serious eye damage/irritation | Based on available data, the classification criteria |
| | are not met |
| Sensitisation | May cause an allergic reaction |
| Carcinogenicity | Based on available data, the classification criteria |
| | are not met |
| Mutagenicity | Based on available data, the classification criteria |
| | are not met |
| Reproductive toxicity | Based on available data, the classification criteria |
| | are not met |
| Lactation | Based on available data, the classification criteria |
| | are not met |
| STOT (Specific Target Organ | Based on available data, the classification criteria |
| Toxicity) Single exposure | are not met |
| STOT (Specific Target Organ | Based on available data, the classification criteria |
| Toxicity) Repeated exposure | are not met |
| Aspiration toxicity | Based on available data, the classification criteria |
| | are not met |
| 11.2 Other hazards | Repeated or prolonged contact with the preparation |
| | may cause removal of natural fat from the skin |
| | resulting in dryness, irritation and possible non- |
| | allergic contact dermatitis. |
| | |

Symptoms/Routes of Exposure

| Skin contact | There may be mild irritation at the site of contact |
|---------------------------|---|
| Eye contact | There may be irritation and redness |
| Ingestion | There may be irritation of the throat |
| Inhalation | No symptoms |
| | |
| Delayed/immediate effects | No data available |

SECTION 12. ECOLOGICAL INFORMATION

| 12.1 Toxicity | | |
|---------------|-------------------|--|
| Aquatic toxic | ity (Product) | |
| Fish | No data available | |

(Issue 9) Page: 7/10 Date: 22 May 2021

According to UK REACH Regulation: SI 2019/758



| Daphnia magna. (24 hr) | No data available | |
|-------------------------------------|---|--|
| Algae (72 hr) | No data available | |
| 12.2 Persistence and de | 12.2 Persistence and degradability | |
| Biodegradable in water | Biodegradable in water | |
| 12.3 Bioaccumulative p | 12.3 Bioaccumulative potential | |
| The product has no poter | The product has no potential for bioaccumulation. | |
| 12.4 Mobility in soil | 12.4 Mobility in soil | |
| The product is predicted | The product is predicted to have high mobility in soil. | |
| 12.5 Results of PBT and | 12.5 Results of PBT and vPvB assessment | |
| Not classified as PBT or v | Not classified as PBT or vPvB. | |
| 12.6 Other adverse effects: No data | | |

SECTION 13. DISPOSAL CONSIDERATIONS

This material and its container must be disposed of in a safe way. Empty containers may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Consult an accredited waste disposal contractor or the local authority for advice.

European Waste Catalogue (EWC)

| Waste Code | Waste Designation |
|------------|--|
| 08 01 12 | Waste paint and varnish other than those |
| | mentioned in 08 01 11 |

SECTION 14. TRANSPORT INFORMATION

UN number The product is not dangerous for road (ADR), rail (RID), sea

(IMDG), and air (IATA) transport.

UN proper shipping name
Transport hazard class (es)
Packaging group
Environmental hazards
Special precautions for
Not applicable
Not applicable
Not applicable

users

Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations specific for the substance or mixture:

(Issue 9) Page: 8/10 Date: 22 May 2021

According to UK REACH Regulation: SI 2019/758



| 15.1 Safety, health and | GB Classification, Labelling and Packaging Regulations |
|---------------------------------------|--|
| environmental regulations/legislation | (EC 1272/2008 as amended by The Chemicals (Health |
| specific for the substance or mixture | and Safety) and Genetically Modified Organisms |
| | (Contained Use) (Amendment etc) (EU Exit) Regulations |
| | 2019 No. 720 Schedule 2) |
| | |
| | Paint, Varnishes and Vehicle Refinishing Products |
| | Regulations 2012: 1715 (Volatile Organic Content) |
| 45001 1 10 6 4 0 | |
| 15.2 Chemical Safety Assessment | A chemical safety assessment was not carried out for |
| | this product |

SECTION 16. OTHER INFORMATION

The following sections contain revisions or new statements: Sections #1 to #16

Abbreviations

| ADR | International Regulation – Carriage of goods by road |
|---------|---|
| ATE | Acute Toxicity Estimate |
| CAS | Chemical Abstracts Service |
| DNEL | Derived No Effect Level |
| EC ***- | European Community Number |
| EH40 | HSE EH40/2015 Workplace Exposure Limits |
| HSE | UK Health and Safety Executive |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| IMO | International Maritime Organisation |
| LTEL | Long Term Exposure Limit (8 hours) |
| MARPOL | International Convention Prevent Pollution from Ships |
| PNEC | Predicted No-Effect Concentration |
| PBT | Persistent, Bioaccumulative and Toxic |
| RID | International Agreement – Carriage of goods by rail |
| STEL | Short Term Exposure Limit (15 minutes) |
| VOC | Volatile Organic Content |
| vPvB | very Persistent and very Bioaccumulative |

Mixtures classification methods:

The product has been classified according to the generic concentration limits defined in the Classification, Labelling and Packaging Regulations and the ECHA guidance notes for the classification of mixtures.

Full text of H-Statements referred to under Section 2 and Section 3.

(Issue 9) Page: 9/10 Date: 22 May 2021

According to UK REACH Regulation: SI 2019/758



| Section 2 | Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction |
|-----------|---|
| | EUH210: Safety data sheet available on request |
| Section 3 | H302: Harmful if swallowed |
| | H315: Irritating to skin |
| | H317: May cause an allergic skin reaction |
| | H318: Causes eye damage |
| | H400: Very toxic to aquatic life |

References:

European Chemicals Agency
UK and European Regulations and Directives
Published chemical directories
Suppliers' safety data sheets
UK Health and Safety Executive

The information contained in this Safety Data Sheet has been based on sources and technical knowledge as well as applicable law at European and national level, and its accuracy cannot be fully guaranteed. This information cannot be regarded as a guarantee of product properties, as it is only a description of the requirements regarding safety issues. The methods and working conditions of the users of this product are beyond the reach of our knowledge and control, so the user is responsible for taking appropriate measures to comply with legal requirements regarding the handling, storage, use and disposal of chemical products. The information contained in this Safety Data Sheet applies only to the product that must not be used for purposes other than those specified therein.

(Issue 9) Page: 10/10 Date: 22 May 2021