According to UK REACH Regulation: SI 2019/758



#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

| Product name:  | M-Guard HD Plus                                       |
|--|---|
| Chemical description:                                | Water-based methacrylic polymer dispersion            |
| REACH Registrations                                  | The ingredients in this composition have been         |
|  | registered by the individual suppliers                |
| 1.2 Relevant identified uses of the                  | substance or mixture and uses advised against         |
| Identified uses:                                     | Colour enhancer and sealer for stone surfaces         |
| Uses advised against                                 | All uses not specified in this section or Section 7.3 |
| 1.3 Details of the supplier of the safety data sheet |   |
| Supplier :   | Muralplast  |
|  | 11 Invicta Business Park                              |
|  | London Road   |
|  | Wrotham   |
|  | Kent  |
|  | TN15 7RJ  |
| Telephone  | +44 (0)1732 884022 (Office hours only)                |
| Email  | LUCAS@LUCASUK.com                                     |
| 1.4 Emergency telephone number                       |   |
| Emergency telephone:                                 | 0344 8920555 (National Poisons Information            |
|  | Service) * Healthcare professionals only              |
|  | 111 (NHS 111 – UK only)                               |

### **SECTION 2. HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

Classification according to GB Classification, Labelling and Packaging Regulations

Not classified

#### 2.2 Label elements

Labelling according to GB Classification, Labelling and Packaging Regulations

Product identifier M-Guard HD Plus Pictogram: Not applicable Signal word: Not applicable

Hazard statement(s): Contains 1,2-benzisothiazol-3(2H)-one and 2-

Methylisothiazol-3(2H)-one. May produce an allergic

reaction

EUH210: Safety data sheet available on request

Precautionary statement(s): P102: Keep out of the reach of children

Page: 1/10 Date: 1 June 2021

According to UK REACH Regulation: SI 2019/758



P260: Do not breathe spray

P264: Wash hands thoroughly after handling. P270: Do not eat, drink or smoke when using this product

product.

P301+330+331: IF SWALLOWED: rinse mouth. Do not

induce vomiting

P302+350: IF ON SKIN: Gently wash with plenty of

soap and water

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if

present and easy to do so. Continue rinsing

P314: Get medical advice/attention if you feel unwell P501: Dispose of contents to licensed waste contractor

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance: Not applicable

Mixture: Hazardous ingredients:

Product does not contain any hazardous ingredients at concentrations above the generic cutoff limits.

| Chemical name                    | Identifier  | Concentration<br>[% w/w] | Classification<br>Regulation (EC)<br>No.<br>1272/2008<br>[CLP] |
|----------------------------------|---|--------------------------|--|
| 1,2-Benzisothiazolin-3-one       | EC: 220-120-9<br>CAS: 2634-33-5<br>Reg: 01-2120761540-60-xxxx | < 0.1                    | H302-H315<br>H317-H318<br>H400                                 |
| 2-Methylisothiazol-3(2H)-<br>one | EC: 220-239-6<br>CAS: 2682-20-4<br>Reg: 01-2120764690-50-xxxx | < 0.1                    | H301-H330<br>H314-H317<br>H318<br>H400-H411                    |

### **SECTION 4. FIRST AID MEASURES**

Page: 2/10 Date: 1 June 2021

According to UK REACH Regulation: SI 2019/758



### **Description of first aid measures**

| If inhaled:              | Remove to fresh air, keep patient warm and at rest.  If breathing is irregular or stopped administer artificial respiration. Give nothing by mouth. If unconscious place in the recovery position. Seek medical advice if symptoms develop. |
|--------------------------|---|
| In case of skin contact: | Remove contaminated clothing, wash skin thoroughly with plenty of soap and water. Seek medical advice if irritation develops.   |
| In case of eye contact:  | If substance has got into the eyes, immediately wash out with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. Continue rinsing. Seek medical advice if irritation persists.                    |
| If swallowed             | Rinse mouth with water. Do not induce vomiting. Seek medical advice.  |

#### 4.2 Most important symptoms and effects, both acute and delayed

No known significant effects or critical hazards with the correct use of the product.

| Skin contact | There may be mild irritation at the site of contact |
|--------------|---|
| Eye contact  | There may be irritation and redness                 |
| Ingestion    | There may be irritation of the throat               |
| Inhalation   | No symptoms   |

#### 4.3 Indication of any immediate medical attention and special treatment needed

Stomach ache, nausea, eye irritation that persists, skin irritation

Obtain medical attention if a large quantity has been swallowed, or in the event of any acute or delayed symptoms. Treat symptomatically.

### **SECTION 5. FIREFIGHTING MEASURES**

| 5.1 Extinguishing media                                   |   |  |
|---|---|--|
| Suitable  | Dry chemical, water spray, foam, carbon dioxide                                     |  |
| extinguishing media:                                      | As appropriate for surrounding materials  |  |
| Unsuitable  | Water jet – may spread fire   |  |
| extinguishing media                                       |   |  |
| 5.2 Special hazards arising from the substance or mixture |   |  |
| In a fire or if heated, a                                 | In a fire or if heated, a pressure increase will occur and the container may burst. |  |
| Thermal decomposition will evolve toxic vapours           |   |  |
| 5.3 Advice for firefighters                               |   |  |

Page: 3/10 Date: 1 June 2021

According to UK REACH Regulation: SI 2019/758



Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Cool containers exposed to fire with water spray.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

Put on protective equipment. Keep unnecessary and unprotected personnel from entering spillage area. Prevent further release by, for example, turning container so leak is upward, if safe to do so.

#### 6.2 Environmental precautions

Prevent entry into drains, surface- and ground waters, basements or confined areas. Contain the spillage with bunding.

#### 6.3 Methods and materials for containment and cleaning up

Dilute small spills with water and mop up, or soak up with inert non-combustible absorbent material. Transfer product to suitably labelled container for disposal at an approved site.

#### 6.4 Reference to other sections

See Sections: 8 (EXPOSURE CONCERNS/PERSONAL PROTECTION) and 13 (DISPOSAL CONSIDERATIONS)

#### **SECTION 7. HANDLING AND STORAGE**

| Precautions:                           | Ensure good ventilation                            |
|--|--|
| Fire and explosion protection          | No specific protective measures are required       |
| measures:                              |  |
| 7.2 Conditions for safe storage, inclu | iding any incompatibilities                        |
| Requirements for storage areas and     | Store in a cool, well-ventilated place.            |
| containers:                            | Store in dry conditions between 5 degC - 25 deg    |
|  | Protect from frost. Protect from sunlight and      |
|  | sources of direct heat. Keep in original container |
|  | Keep container upright and sealed when not in u    |
| Shelf life:                            | 24 months  |
| Incompatible products:                 | Oxidising agents, strong acids                     |
| 7.3 Specific end use(s):               |  |

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

According to UK REACH Regulation: SI 2019/758



#### 8.1 Control parameters

WEL: Workplace Exposure Limit (UK HSE EH40)

| Ingredient     | LTEL (8 hours) | STEL (15 minutes) |
|----------------|----------------|-------------------|
| Not applicable | -              | -                 |

Biological Exposure Limits: No data available

**DNEL:** No data available **PNEC:** No data available

Information on monitoring procedures:

Recommended monitoring procedures: Not applicable

8.2 Exposure controls

#### Individual protection measures, such as personal protective equipment:

| Engineering controls                 | Use outdoors or with good ventilation.                   |
|--------------------------------------|--|
| General safety and hygiene measures: | Observe the general principles of safety and hygiene.    |
|                                      | Do not eat, drink, or smoke while working.               |
|                                      | Wash your hands thoroughly before breaks and after       |
|                                      | finishing work. Wash contaminated clothing before        |
|                                      | reusing. Ensure that eyewash stations are close to the   |
|                                      | workstation location.                                    |
| 8.3 Personal Protective Equipment    |  |
| Respiratory protection:              | Not normally required if ventilation is adequate. If air |
|                                      | concentrations are high e.g. spraying, a particulate     |
|                                      | mask (FFP1) or respirator with cartridge filter may be   |
|                                      | suitable (EN149). Where air filtering respirators are    |
|                                      | unsuitable (risk of oxygen deficiency, confined space)   |
|                                      | use appropriate positive pressure breathing apparatus.   |
| Hand protection:                     | Impervious plastic or rubber gloves – Nitrile, butyl,    |
|                                      | PVC, Viton. Breakthrough time 480 minutes                |
| Eye/face protection:                 | Wear goggles (EN166).                                    |
| Body/skin protection:                | Wear overalls and boots                                  |
| Control of environmental exposure:   | Avoid release to the environment                         |

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

| 9.1 Information on basic physical and chemical properties |                             |
|---|-----------------------------|
| (a)Appearance Off-white liquid                            |                             |
| (b)Odour  | Almost imperceptible, soapy |
| (c)Odour Threshold  | Not determined              |

Page: 5/10 Date: 1 June 2021

According to UK REACH Regulation: SI 2019/758



| (d)pH                                | 7.5   |
|--------------------------------------|---|
| (e)Melting point/freezing point      | Not applicable. Test not scientifically justified   |
| (f)Initial boiling point and boiling | 100 degC  |
| range                                |   |
| (g)Flash point                       | > 93 degC   |
| (h)Evaporation rate                  | Not applicable. Test not scientifically justified   |
| (i)Flammability (solid, gas)         | Not applicable. Product is a liquid                 |
| (j)Upper/lower flammability or       | Not applicable. Test not scientifically justified   |
| explosive limits                     |   |
| (k)Vapour pressure                   | Not applicable. Test not scientifically justified   |
| (I)Vapour density                    | Not applicable. Test not scientifically justified   |
| (m)Relative density                  | 1.0   |
| (n) Water solubility at 20 degC      | Slightly soluble in water                           |
| (o)Partition coefficient: n-         | Not applicable. Test not scientifically justified   |
| octanol/water                        |   |
| (p)Auto-ignition temperature         | Not applicable. Test not scientifically justified   |
| (q(Decomposition temperature         | Not applicable. Test not scientifically justified   |
| (r)Viscosity                         | Not available                                       |
| (s)Explosive properties              | Product does not contain any structural groups that |
|                                      | possess explosive properties                        |
| (t)Oxidizing properties              | Product does not contain any structural groups that |
|                                      | possess oxidising properties                        |
| 9.2 Other safety characteristics:    | No data available                                   |

#### **SECTION 10. STABILITY AND REACTIVITY**

- **10.1 Reactivity:** Non-reactive under normal conditions of transport and storage. Does not undergo hazardous polymerization.
- **10.2 Chemical stability:** The product is stable when used properly and stored.
- 10.3 Possibility of hazardous reactions: No hazardous reactions known
- **10.4 Conditions to avoid:** Protect from sunlight and temperature above 30°C, and against freezing
- 10.5 Incompatible materials: Oxidising agents, Strong acids
- 10.6 Hazardous decomposition products: Combustion may produce toxic fumes

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects (Mixture)

| Acute toxicity |                      |
|----------------|----------------------|
| Ingestion      | LD50 > 2000 mg/kg    |
| Inhalation     | LC50: 5.7 mg/L (Rat) |

Page: 6/10 Date: 1 June 2021

According to UK REACH Regulation: SI 2019/758



| Skin contact                  | LD50 > 2000 mg/kg                                    |
|-------------------------------|--|
| Skin corrosion/irritation     | Based on available data, the classification criteria |
|                               | are not met  |
| Serious eye damage/irritation | Based on available data, the classification criteria |
|                               | are not met  |
| Sensitisation                 | May cause an allergic reaction                       |
| Carcinogenicity               | Based on available data, the classification criteria |
|                               | are not met  |
| Mutagenicity                  | Based on available data, the classification criteria |
|                               | are not met  |
| Reproductive toxicity         | Based on available data, the classification criteria |
|                               | are not met  |
| Lactation                     | Based on available data, the classification criteria |
|                               | are not met  |
| STOT (Specific Target Organ   | Based on available data, the classification criteria |
| Toxicity) Single exposure     | are not met  |
| STOT (Specific Target Organ   | Based on available data, the classification criteria |
| Toxicity) Repeated exposure   | are not met  |
| Aspiration toxicity           | Based on available data, the classification criteria |
|                               | are not met  |
| 11.2 Other hazards            |  |

### Symptoms/Routes of Exposure

| Skin contact              | There may be mild irritation at the site of contact |
|---------------------------|---|
| Eye contact               | There may be irritation and redness                 |
| Ingestion                 | There may be irritation of the throat               |
| Inhalation                | No symptoms   |
|                           |   |
| Delayed/immediate effects | No data available                                   |

### **SECTION 12. ECOLOGICAL INFORMATION**

### 12.1 Toxicity

### **Aquatic toxicity (Product)**

Fish (96 hr)

Daphnia magna (48 hr)

Algae (72 hr)

Not available

EC50: 32 mg/L

EC50: 8.4 mg/L

Activated sludge (3 hr) EC50: 34.6 mg/L

organims

Page: 7/10 Date: 1 June 2021

According to UK REACH Regulation: SI 2019/758



1,2-benzisothiazol-3(2H)-one:

Fish (96 hr) LC50 : 2 - 22 mg/L Daphnia magna. (48 hr) EC50: 2.9 mg/L

Algae (72 hr) EC50: 0.07 – 0.15 mg/L

2-Methylisothiazol-3(2H)-one

Fish (96 hr) LC50 : 4.8 - 6 mg/L
Daphnia magna. (48 hr) EC50: 1.6 mg/L
Algae (72 hr) EC50: 0.10 mg/L

12.2 Persistence and degradability

Not biodegradable in water

12.3 Bioaccumulative potential

The product has no potential for bioaccumulation.

12.4 Mobility in soil

The product is readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects: Toxic to soil organisms

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

This material and its container must be disposed of in a safe way. Empty containers may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Consult an accredited waste disposal contractor or the local authority for advice.

### **SECTION 14. TRANSPORT INFORMATION**

| UN number                   | The product is not dangerous for road (ADR), rail (RID), sea |
|-----------------------------|--|
|                             | (IMDG), and air (IATA) transport.                            |
| UN proper shipping name     | Not applicable   |
| Transport hazard class (es) | Not applicable   |
| Packaging group             | Not applicable   |
| Environmental hazards       | Not applicable   |
| Special precautions for     | Not applicable   |
| users                       |  |

Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable

Page: 8/10 Date: 1 June 2021

According to UK REACH Regulation: SI 2019/758



### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations specific for the substance or mixture:

| 15.1 Safety, health and               | GB Classification, Labelling and Packaging Regulations |
|---------------------------------------|--|
| environmental regulations/legislation | (EC 1272/2008 as amended by The Chemicals (Health      |
| specific for the substance or mixture | and Safety) and Genetically Modified Organisms         |
|                                       | (Contained Use) (Amendment etc) (EU Exit) Regulations  |
|                                       | 2019 No. 720 Schedule 2)                               |
|                                       |  |
|                                       | Paint, Varnishes and Vehicle Refinishing Products      |
|                                       | Regulations 2012: 1715 (Volatile Organic Content)      |
| 15.2 Chemical Safety Assessment       | A chemical safety assessment was not carried out for   |
|                                       | this product   |

### **SECTION 16. OTHER INFORMATION**

The following sections contain revisions or new statements: Sections #1 to #16

#### **Abbreviations**

| ADR     | International Regulation – Carriage of goods by road  |
|---------|---|
| ATE     | Acute Toxicity Estimate                               |
| CAS     | Chemical Abstracts Service                            |
| DNEL    | Derived No Effect Level                               |
| EC ***- | European Community Number                             |
| EH40    | HSE EH40/2015 Workplace Exposure Limits               |
| HSE     | UK Health and Safety Executive                        |
| IATA    | International Air Transport Association               |
| IMDG    | International Maritime Dangerous Goods                |
| IMO     | International Maritime Organisation                   |
| LTEL    | Long Term Exposure Limit (8 hours)                    |
| MARPOL  | International Convention Prevent Pollution from Ships |
| PNEC    | Predicted No-Effect Concentration                     |
| PBT     | Persistent, Bioaccumulative and Toxic                 |
| RID     | International Agreement – Carriage of goods by rail   |
| STEL    | Short Term Exposure Limit (15 minutes)                |
| VOC     | Volatile Organic Content                              |
| vPvB    | very Persistent and very Bioaccumulative              |

Mixtures classification methods:

Page: 9/10 Date: 1 June 2021

According to UK REACH Regulation: SI 2019/758



The product has been classified according to the generic concentration limits defined in the Classification, Labelling and Packaging Regulations and the ECHA guidance notes for the classification of mixtures.

#### Full text of H-Statements referred to under Section 2 and Section 3.

| Section 2 | Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction |
|-----------|---|
|           | EUH210: Safety data sheet available on request                          |
| Section 3 | H301: Toxic if swallowed  |
|           | H302: Harmful if swallowed  |
|           | H314: Causes severe burns and eye damage                                |
|           | H315: Irritating to skin  |
|           | H317: May cause an allergic skin reaction                               |
|           | H318: Causes eye damage   |
|           | H330: Fatal if inhaled  |
|           | H400: Very toxic to aquatic life  |
|           | H411: Toxic to aquatic life with long-lasting effects                   |

#### References:

European Chemicals Agency
UK and European Regulations and Directives
Published chemical directories
Suppliers' safety data sheets
UK Health and Safety Executive

The information contained in this Safety Data Sheet has been based on sources and technical knowledge as well as applicable law at European and national level, and its accuracy cannot be fully guaranteed. This information cannot be regarded as a guarantee of product properties, as it is only a description of the requirements regarding safety issues. The methods and working conditions of the users of this product are beyond the reach of our knowledge and control, so the user is responsible for taking appropriate measures to comply with legal requirements regarding the handling, storage, use and disposal of chemical products. The information contained in this Safety Data Sheet applies only to the product that must not be used for purposes other than those specified therein.

Page: 10/10 Date: 1 June 2021